

ADD/ADHD, Learning & Developmental Disabilities

- Alhambra, M. A., Fowler, T. P., & Alhambra, A. A. (1995). EEG biofeedback: A new treatment option for ADD/ADHD. Journal of Neurotherapy, 1(2), 39-43.
- Arns, M. (2012). EEG-based personalized medicine in ADHD: Individual alpha peak frequency as an endophenotype associated with nonresponse. Journal of Neurotherapy.
- Arns, M, de Ridder, S, Strehl, U, Breteler, M, & Coenen, A. (2009). Efficacy of neurofeedback treatment in ADHD: The effects on inattention, impulsivity and hyperactivity: A meta-analysis. Clinical EEG and Neuroscience, 40(3) 180-189.
- Barabasz, A., & Barabasz, M. (1996). Neurotherapy and alert hypnosis in the treatment of attention deficit disorder. Chapter in S. J. Lynn, I. Kirsch, & J. W. Rhue (Eds.), Casebook of Clinical Hypnosis. Washington, D.C.: American Psychological Association Press, 271-292.
- Barabasz, A., & Barabasz, M. (2000). Treating AD/HD with hypnosis and neurotherapy. Child Study Journal, 30(1), 25-42.
- Beauregard, M., & Levesque, J. (2006). Functional magnetic resonance imaging investigation of the effects of neurofeedback training on the neural bases of selective attention and response inhibition in children with attention-deficit/hyperactivity disorder. Applied Psychophysiology & Biofeedback, 31(1), 3-20.
- Becerra J, Fernandez T, Harmony T, Caballero MI, Garcia F, Fernandez-Bouzas A, Santiago-Rodriguez E, Prado-Alcalá RA. (2006) "Follow-up study of Learning Disabled children treated with Neurofeedback or placebo." Clinical EEG & Neuroscience, 37 (3), 198-203.
- Boyd, W. D., & Campbell, S. E. (1998). EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. Journal of Neurotherapy, 2(4), 65-71.
- Breteler, M. H. M., Arns, M., Peters, S., Giepman, I., & Verhoeven, L. (2010). Improvements in spelling after QEEG-based neurofeedback in dyslexia: A randomized controlled treatment study. Applied Psychophysiology & Biofeedback, 35(1), 5-11.

- Breteler, R., Pesch, W., Nadorp, M. (2012) Neurofeedback in residential children and adolescents with mild mental retardation and ADHD behavior. *Journal of Neurotherapy*.
- Carmody, D. P., Radvanski, D. C., Wadhvani, S., Sabo, J. J., & Vergara, L. (2001). EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. *Journal of Neurotherapy*, 4(3), 5-27.
- Carter, J. L., & Russell, H. L. (1991). Changes in verbal performance IQ discrepancy scores after left hemisphere frequency control training: A pilot report. *American Journal of Clinical Biofeedback*, 4(1), 66-67
- Cunningham, M., & Murphy, P. (1981). The effects of bilateral EEG biofeedback on verbal, visuospatial and creative skills in LD male adolescents. *Journal of Learning Disabilities*, 14(4), 204-208.
- Drechsler R, Straub M, Doehnert M, Heinrich H, Steinhausen H, Brandeis D. (2007). Controlled evaluation of a neurofeedback training of slow cortical potentials in children with ADHD. *Behavioral & Brain Functions*, 3, 35.
- Dupuy, E. F., & Clarke, A.(2012). EEG activity in females with attention-deficit/ hyperactivity disorder.
- Egner, T., & Gruzelier, J. H. (2001). Learned self-regulation of EEG frequency Components affects attention and event-related brain potentials in humans. *NeuroReport*, 12, 4155-4159.
- Egner, T., & Gruzelier, J. H. (2004). EEG biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. *Clinical Neurophysiology*, 115, 131-139.
- Fehmi, L. G. (2007). Multichannel EEG phase synchrony training and verbally guided attention training for disorders of attention. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghamton, NY: Haworth Medical Press, 301-319.
- Fehmi, L. G. (1978). EEG biofeedback, multichannel synchrony training, and attention. Chapter in A. A. Sugarman & R. E. Tarter (Eds.), *Expanding Dimensions of Consciousness*. New York: Springer.

- Fehmi, L. G., & Selzer, F. A. (1980). Biofeedback and attention training. Chapter in S. Boorstein (Ed.), *Transpersonal Psychotherapy*. Palo Alto: Science and Behavior Books.
- Fernandez, T., Herrera, W., Harmony, T., Diaz-Comas, L., Santiago, E., Sanchez, L., Bosch, J., Fernandez-Bouzas, A., Otero, G., Ricardo-Garcell, J., Barraza, C., Aubert, E., Galan, L., & Valdes, P. (2003). EEG and behavioral changes following neurofeedback treatment in learning disabled children. *Clinical Electroencephalography*, 34(3), 145-150.
- Fleischman, M. J., & Othmer, S. (2005). Case study: Improvements in IQ score and maintenance of gains following EEG biofeedback with mildly developmentally delayed twins. *Journal of Neurotherapy*, 9(4), 35-46.
- Foks, M. (2005). Neurofeedback training as an educational intervention in a school setting: How the regulation of arousal states can lead to improved attention and behaviour in children with special needs. *Educational & Child Psychology*, 22(3), 6777.
- Fox, D. J., Tharp, D. F., & Fox, L. C. (2005). Neurofeedback: An alternative and efficacious treatment for attention deficit hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30(4), 365-274.
- Fritson, K. K., Wadkins, T. A., Gerdes, P., & Hof, D. (2007). The impact of neurotherapy on college students' cognitive abilities and emotions. *Journal of Neurotherapy*, 11(4), 1-9.
- Fuchs, T., Birbaumer, N., Lutzenberger, W., Gruzelier, J. H., & Kaiser, J. (2003). Neurofeedback treatment for attention deficit/hyperactivity disorder in children: A comparison with methylphenidate. *Applied Psychophysiology and Biofeedback*, 28, 112.
- Gani C., Birbaumer N. & Strehl U.(2008). Long term effects after feedback of slow cortical potentials and of theta-beta amplitudes in children with attention-deficit/hyperactivity disorder(ADHD). *International Journal of Bioelectromagnetism*, 10(4), 209-232.
- Gross, E., El-Baz-Ayman A, S., Sokhadze, G, E. (2012). Induced EEG gamma oscillation alignment improves differentiation between autism and ADHD group responses in a facial categorization task. *Journal of Neurotherapy*.

- Hansen, L. M., Trudeau, D., & Grace, L. (1996). Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure. Journal of Neurotherapy, 2(1), 6-14.
- Hirshberg, L. M. (2007). Place of electroencephalographic biofeedback for attention-deficit/hyperactivity disorder. Expert Review of Neurotherapeutics, 7(4), 315-319.
- Hong, C., Lee, I. (2012). Effects of neurofeedback training on attention in children with intellectual disability. Journal of Neurotherapy
- Jackson, G. M., & Eberly, D. A. (1982). Facilitation of performance on an arithmetic task as a result of the application of a biofeedback procedure to suppress alpha wave activity. Biofeedback & Self-Regulation, 7(2), 211-221.
- Jacobs, E. H. (2005). Neurofeedback treatment of two children with learning, attention, mood, social, and developmental deficits. Journal of Neurotherapy, 9(4), 55-70.
- Kaiser, D. A., & Othmer, S. (2000). Effect of Neurofeedback on variables of attention in a large multi-center trial. Journal of Neurotherapy, 4(1), 5-15.
- Kirk, L. (2007). Neurofeedback protocols for subtypes of attention deficit/hyperactivity disorder. Chapter in J. R. Evans (Ed.), Handbook of Neurofeedback. Binghamton, NY: Haworth Medical Press, 267-299.
- Kotwal, D. B., Burns, W. J., & Montgomery, D. D. (1996). Computer-assisted cognitive training for ADHD: A case study. Behavior Modification, 20(1), 85-96.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., & Nikishena, I. S. (2007). Changes in EEG spectograms, event-related potentials and event-related desynchronization induced by relative beta training in ADHD children. Journal of Neurotherapy, 11(2), 3-11.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., Nildshena, I. S. (2005). ERPs correlates of EEG relative beta training in ADHD children. International Journal of Psychophysiology, 55(1), 23-34.

- Kwon, H., Cho, J., Lee, E. (2009). EEG asymmetry analysis of the left and right brain activities during simple versus complex arithmetic learning. Journal of Neurotherapy, 13(2), 109-116.
- Leins, U., Goth, G., Hinterberger, T., Klinger, C., Rumpf, N., & Strehl, U. (2007). Neurofeedback for children with ADHD: A comparison of SCP and theta/beta protocols. Applied Psychophysiology & Biofeedback, 32(2), 73-88.
- Levesque, J., Beauregard, M., & Mensour, B. (2006). Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: a functional magnetic resonance imaging study. Neuroscience Letters, 394(3), 216-221.
- Linden, M., Habib, T., & Radojevic, V. (1996). A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. Biofeedback & Self-Regulation, 21(1), 35-49.
- Loo, S., & Barkley, R. (2005). Clinical utility of EEG in attention deficit hyperactivity disorder. Applied Neuropsychology, 12(2), 64-76.
- Lubar, J. F. (1985). EEG biofeedback and learning disabilities. Theory into Practice, 26, 106-111
- Lubar, J. F. (1995). Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M. S. Schwartz (Ed.), Biofeedback: A Practitioner's Guide. New York, Guilford, 493-522.
- Lubar, J. F. (2003). Neurofeedback for the management of attention-deficit / hyperactivity disorders. Chapter in M. S. Schwartz & F. Andrasik (Eds.), Biofeedback: A Practitioner's Guide (Third Edition New York, Guilford), 409-437.
- Lubar, J. O., & Lubar, J. F. (1984). Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting. Biofeedback & Self-Regulation, 9, 1-23.
- Lubar, J. F., & Shouse, M. N. (1976). EEG and behavioral changes in a hyperactive child concurrent with training of the sensorimotor rhythm (SMR): A preliminary report. Biofeedback & Self-Regulation, 1(3), 293-306.

- Lubar, J. F., & Shouse, M. N. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. *Advances in Clinical Child Psychology*, 1, 204–251.
- Lubar, J. F., Swartwood, M. O., Swartwood, J. N., & O'Donnell, P. H. (1995). Evaluation of the effectiveness of EEG neurofeedback training for ADHD in a clinical setting as measured by changes in T.O.V.A., scores, behavioral ratings, and WISC–R performance. *Biofeedback & Self–Regulation*, 20(1), 83–99.
- Lutzenberger W, Elbert T, Rockstroh B, Birbaumer N. (1982) Biofeedback produced slow brain potentials and task performance. *Biological Psychology*, 14, 99–111.
- Mayer, K., Wyckoff, S. N. (2012). Neurofeedback for adult attention–deficit/hyperactivity disorder: Investigation of slow cortical potential neurofeedback–Preliminary results. *Journal of Neurotherapy*
- McKnight, J. T., & Fehmi, L. G. (2001). Attention and neurofeedback synchrony training: Clinical results and their significance. *Journal of Neurotherapy*, 5(1–2), 45–62.
- Monastra, V. J., (2005). Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: Rationale and empirical foundation. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 55–82.
- Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., Gruzelier, J., & LaVaque, T. J. (2005). Electroencephalographic biofeedback in the treatment of attention–deficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 30(2), 95–114.
- Monastra, V. J., Monastra, D. M., & George, S. (2002). The effects of stimulant therapy, EEG biofeedback, and parenting style on the primary symptoms of attentiondeficit/hyperactivity disorder. *Applied Psychophysiology & Biofeedback*, 27(4), 231–249.
- Mulholland, T. Goodman, D., & Boudrot, R. (1983). Attention and regulation of EEG alpha–attenuation responses. *Biofeedback & Self–Regulation*, 8(4), 585–600.
- Nash, J. K. (2000). Treatment of attention–deficit hyperactivity disorder with neurotherapy. *Clinical Electroencephalography*, 31(1), 30–37.

- Norris, S. L., Lee, C-T., Burshteyn, D., & Cea-Aravena, J. (2001). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. Journal of Neurotherapy, 4(3), 29-44.
- Norris, S. L., Lee, C., Cea, J., & Burshteyn, D. (1998). Performance enhancement training effects on attention: A case study. Journal of Neurotherapy, 3(1), 19-25.
- Orlando, P. C., & Rivera, R. O. (2004). Neurofeedback for elementary students with identified learning problems. Journal of Neurotherapy, 8(2), 5-19.
- Othmer, S., Othmer, S. F., & Kaiser, D. A. (1999). EEG biofeedback: Training for AD/HD and related disruptive behavior disorders. Chapter in J. A. Incorvaia & B. F. Mark-Goldstein, & D. Tessmer (Eds.), *Understanding, Diagnosing, & Treating AD/HD in Children and Adolescents*. New York: Aronson, 235-297
- Patrick, G. J. (1996). Improved neuronal regulation in ADHD: An application of 15 sessions of photic-driven EEG neurotherapy. Journal of Neurotherapy, 1(4), 27-36.
- Perreau-Linck, E., Lessard, N., Lévesque, J., Beauregard, M. (2010). Effects of neurofeedback training on inhibitory capacities in ADHD children: A single-blind, randomized, placebo-controlled study. Journal of Neurotherapy, 14(3), 229-242.
- Pigott, E. H., Bodenhamer-Davis, E., Davis, E. (2013). Ending the evidentiary & insurance reimbursement bias against neurofeedback to treat ADHD: It will take clinician action in addition to the compelling science. Journal of Neurotherapy
- Pratt, R. R., Abel, H., & Skidmore, J. (1995). The effects of neurofeedback training with background music on EEG patterns of ADD and ADHD children. *International Journal of Arts Medicine*, 4(1), 24-31.
- Pulvermuller, F., Mohr, B., Schleichert, H., & Veit, R. (2000). Operant conditioning of left-hemispheric slow cortical potentials and its effect on word processing. Biological Psychology, 53, 177-215.
- Putnam, J. A., Othmer, S. F., Othmer, S., & Pollock, V. E. (2005). TOVA results following interhemispheric bipolar EEG training. Journal of Neurotherapy, 9(1), 37-52.

- Rasey, H. W., Lubar, J. E., McIntyre, A., Zoffuto, A. C., & Abbott, P. L. (1996). EEG biofeedback for the enhancement of attentional processing in normal college students. Journal of Neurotherapy, 1(3), 15–21.
- Rockstroh, B., Elbert, T., Lutzenberger, W., & Birbaumer, N. (1990). Biofeedback: Evaluation and therapy in children with attentional dysfunction. Chapter in A. Rothenberger (Ed.), *Brain and Behaviour in Child Psychiatry*. Berlin: Springer Verlag, 345–357.
- Rossiter, T. R. (2004). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. Applied Psychophysiology & Biofeedback, 29(2), 135–140.
- Rossiter, T. R. (2005). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part II. Replication. Applied Psychophysiology & Biofeedback, 29(4), 233–243.
- Rossiter, T. (2002). Neurofeedback for AD/HD: A ratio feedback case study. Journal of Neurotherapy, 6(3), 9–35.
- Rossiter, T. R. (1998). Patient directed neurofeedback for ADHD. Journal of Neurotherapy, 2(4), 54–63.
- Rossiter, T. R., & La Vaque, T. J. (1995). A comparison of EEG biofeedback and psychostimulants in treating attention deficit/hyperactivity disorders. Journal of Neurotherapy, 1(1), 48–59.
- Russell, H. L., & Carter, J. L. (1997). EEG driven audio–visual stimulation unit for enhancing cognitive abilities of learning disordered boys: Final report. Washington, D.C.: U.S. Department of Education (SBIR), Contract number RA94130002.
- Russell–Chapin, L., Kemmerly, T., Wen–Ching, L., (2013). The effects of neurofeedback in the default mode network: pilot study results of medicated children with ADHD. Journal of Neurotherapy
- Scheinbaum, S., Zecker, S., Newton, C. J., & Rosenfeld, P. (1995). A controlled study of EEG biofeedback as a treatment for attention–deficit disorders. In *Proceedings of the 26th Annual Meeting of the Association for Applied Psychophysiology and Biofeedback*, 131–134.

- Sheer, D. E. (1975). Biofeedback training of 40-Hz EEG and behavior. Chapter in N. Burch & H. I. Altshuler (Eds.), *Behavior and Brain Electrical Activity*. New York: Plenum.
- Sheer, D. E. (1977). Biofeedback training of 40-Hz EEG and behavior. Chapter in J. Kamiya et al., *Biofeedback and Self-Control 1976/1977. An Annual Review*. Chicago: Aldine.
- Shin, D. I., Lee, J. H., Lee, S. M., Kim, I. Y., & Kim, S. I. (2004). Neurofeedback training with virtual reality for inattention and impulsiveness. *Cyberpsychology & Behavior*, 7(5), 519–526.
- Shouse, M. N., & Lubar, J. F. (1979). Operant conditioning of EEG rhythms and Ritalin in the treatment of hyperkinesis. *Biofeedback & Self-Regulation*, 4(4), 299–311.
- Sokhadze, E. M., Baruth, J. M. (2012). Event-related potential study of attention regulation during illusory figure categorization task in ADHD, autism spectrum disorder, and typical children. *Journal of Neurotherapy*.
- Stankus, T. (2008). Can the brain be trained? Comparing the literature on the use of EEG biofeedback/neurofeedback as an alternative or complementary therapy for attention deficit disorder (ADHD). *Behavioral & Social Sciences Librarian*, 26(4), 20–56.
- Strehl, U., Leins, U., Goth, G., Klinger, C., Hinterberger, T., and Birbaumer, N. (2006). Self-regulation of slow cortical potentials: A new treatment for children with attentiondeficit/hyperactivity disorder. *Pediatrics*, 118, 1530–1540.
- Surmeli, T., & Ertem, A. (2007). EEG neurofeedback treatment of patients with Down Syndrome. *Journal of Neurotherapy*, 11(1), 63–68.
- Swingle, P. G. (2002). Parameters associated with rapid neurotherapeutic treatment of common ADD (CADD). *Journal of Neurotherapy*, 5(4), 73–84.
- Swingle, P. G. (1996). Sub threshold 10-Hz sound suppresses EEG theta: Clinical application for the potentiation of neurotherapeutic treatment of ADD/ADHD. *Journal of Neurotherapy*, 2(1), 15–22.
- Tansey, M. A. (1984). EEG sensorimotor rhythm biofeedback training: Some effects on the neurological precursors of learning disabilities. *International Journal of Psychophysiology*, 3, 85–99.

- Tansey, M. A. (1985). Brainwave signatures—An index reflective of the brain=s functional neuroanatomy: Further findings on the effect of EEG sensorimotor rhythm biofeedback training on the neurologic precursors of learning disabilities. International Journal of Psychophysiology, 3, 85–89.
- Tansey, M. A. (1990). Righting the rhythms of reason: EEG biofeedback training as a therapeutic modality in a clinical office setting. Medical Psychotherapy, 3, 57–68.
- Tansey, M. A. (1991). Wechsler (WISC–R) changes following treatment of learning disabilities via EEG biofeedback in a private practice setting. Australian Journal of Psychology, 43, 147–153.
- Tansey, M. A. (1993). Ten–year stability of EEG biofeedback results for a hyperactive boy who failed fourth grade perceptually impaired class. Biofeedback & Self–Regulation, 18, 33–44.
- Tansey, M. A., & Bruner, R. L. (1983). EMG and EEG biofeedback training in the treatment of 10–year old hyperactive boy with a developmental reading disorder. Biofeedback & Self–Regulation, 8(1), 25–37.
- Thompson, L., & Thompson, M. (1998). Neurofeedback combined with training in metacognitive strategies: Effectiveness in students with ADD. Applied Psychophysiology & Biofeedback, 23(4), 243–263.
- Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. Child & Adolescent Psychiatric Clinics of North America, 14(1), 137–162.
- Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. Journal of Neurotherapy, 4(2), 27–44.
- Williams, J. (2010). Does neurofeedback help reduce attention–deficit SMR and beta change with attention in adults. Journal of Neurotherapy, 13(1), 22–29.
- Valdez, M. (1985). Effects of biofeedback–assisted attention training in a college population. Biofeedback & Self–Regulation, 10(4), 315–324.

- Vernon, D., Egner, T., Cooper, N., Compton, T., Neilands, C., Sheri, A., & Gruzelier, J. (2003). The effect of training distinct neurofeedback protocols on aspects of cognitive performance. International Journal of Psychophysiology, 47, 75–85.
- Wadhvani, S., Radvanski, D. C., & Carmody, D. P. (1998). Neurofeedback training in a case of attention deficit hyperactivity disorder. Journal of Neurotherapy, 3(1), 42–49.
- Walker, J. E., & Norman, C. A. (2006). The neurophysiology of dyslexia: A selective review with implications for neurofeedback remediation and results of treatment in twelve consecutive patients. Journal of Neurotherapy, 10(1), 45–55.
- Warner, D.A., Barabasz, A., & Barabasz, M. (2000). The efficacy of Barabasz's alert hypnosis and neurotherapy on attentiveness, impulsivity and hyperactivity in children with ADHD. Child Study Journal, 30(1), 43–49.
- Xiong, Z., Shi, S., & Xu, H. (2005). A controlled study of the effectiveness of EEG biofeedback training on children with attention deficit hyperactivity disorder. Journal of Huazhong University of Science & Technology, 25(3), 368–370.

Review Papers and Meta-Analyses

[Efficacy of Neurofeedback Treatment in ADHD: the Effects on Inattention, Impulsivity and Hyperactivity: a Meta-Analysis \[pdf\]](#)

by Arns M, de Ridder S, Strehl U, Breteler M and Coenen A
Journal of Clinical EEG & Neuroscience, July, 2009.

[Place of EEG Biofeedback for ADHD \[pdf\]](#)

by Hirshberg LM

Expert Review Neurotherapeutics, 7(4), 315–319

[EEG Biofeedback in the Treatment of Attention Deficit Hyperactivity Disorder \[abs.\]](#)

by Friel PN

Alternative Medicine Review, Volume 12, #2, June, 2007, pp146–151

[Electroencephalographic Biofeedback in the Treatment of Attention-](#)

[Deficit/Hyperactivity Disorder \[abs.\]](#)

by Monastra VJ, Lynn S, Linden M, Lubar JF, Gruzelier J, LaVaque TJ

[Electroencephalographic Biofeedback \(Neurotherapy\) as a Treatment for Attention Deficit Hyperactivity Disorder: Rationale and Empirical Foundation \[abs.\]](#)

by Monastra VJ

[Treatment of Attention Deficit Hyperactivity Disorder with Neurotherapy \[abs.\]](#)

by Nash JK

[Review of the Literature Regarding the Efficacy of Neurofeedback in the Treatment of Attention Deficit Hyperactivity Disorder \[abs.\]](#)

by Lingenfelter JE

[Update on Attention-Deficit/Hyperactivity Disorder \[abs.\]](#)

by Campbell Daley K

Research Papers

Comparisons of Neurofeedback with Stimulant Medication

[Neurofeedback Treatment for Attention Deficit/Hyperactivity Disorder in Children: A Comparison with Methylphenidate \[abs.\]](#)

by Fuchs T, Birbaumer N, Lutzenberger W, Gruzelier J. H., & Kaiser J

[The Effectiveness of Neurofeedback and Stimulant Drugs in Treating AD/HD: Part I. Review of Methodological Issues \[abs.\]](#)

by Rossiter T.R.

[The Effectiveness of Neurofeedback and Stimulant Drugs in Treating AD/HD: Part II. Replication \[abs.\]](#)

by Rossiter T.R.

A Comparison of EEG Biofeedback and Psychostimulants in Treating Attention Deficit/Hyperactivity Disorders

by Rossiter TR and La Vaque TJ

[The Effects of Stimulant Therapy, EEG Biofeedback, and Parenting Style on the Primary Symptoms of Attention-Deficit/Hyperactivity Disorder \[abs.\]](#)

by Monastra VJ, Monastra DM, George S

[Is Neurofeedback an Efficacious Treatment for ADHD? A Randomised Controlled Clinical Trial \[abs.\]](#)

by Gevensleben H, Holl B, Albrecht B, Vogel C, Schlamp D, Kratz O, Studer P, Rothenberger A, Moll GH, Heinrich H

[Annotation: Neurofeedback – Train Your Brain to Train Behaviour \[abs.\]](#)

by Heinrich H, Gevensleben H, Strehl U

[Neurofeedback for Children with ADHD: A Comparison of SCP with Theta/Beta Protocols \[abs.\]](#)

by Leins U, Goth G, Hinterberger T, Klinger C, Rumpf N, Strehl

[Controlled Evaluation of a Neurofeedback Training of Slow Cortical Potentials in Children with Attention Deficit/Hyperactivity Disorder \(ADHD\) \[abs.\]](#)

by Drechsler R, Straub M, Doehnert M, Heinrich H, Steinhausen H, Brandeis D

[Biofeedback Produced Slow Brain Potentials and Task Performance \[abs.\]](#)

by Lutzenberger W, Elbert T, Rockstroh B, Birbaumer N

[Operant Conditioning of Left-Hemispheric Slow Cortical Potentials and Its Effect on Word Processing \[abs.\]](#)

by Pulvermöller F, Mohr B, Schleichert H, Veit R

Attention Deficit Hyperactivity, Disorder: Neurological Basis and Treatment Alternatives

by Barabasz A and Barabasz M

EEG Biofeedback: A New Treatment Option For ADD/ADHD

by Alhambra MA M.D., Fowler TP, Alhambra AA M.D.

[Evaluation of the Effectiveness of EEG Neurofeedback Training for ADHD in a Clinical Setting as Measured by Changes in T.O.V.A. Scores, Behavioral Ratings, and WISC–R Performance \[abs.\]](#)

by Lubar JF, Swartwood MO, Swartwood JN, O'Donnell PH

[A Controlled Study of the Effects of EEG biofeedback on Cognition and Behavior of Children with Attention Deficit Disorder and Learning Disabilities \[abs.\]](#)

by Linden M, Habib T, Radojevic V

[Electroencephalographic Biofeedback of SMR and Beta for Treatment of Attention Deficit Disorders in a Clinical Setting \[abs.\]](#)

by Lubar JO and Lubar JF

EEG Biofeedback for the Enhancement of Attentional Processing in Normal College Students

by Rasey HW B.A., Lubar JF Ph.D., McIntyre A Ph.D., Zoffuto AC B.S., Abbott PL B.A.

Effect of Neurofeedback on Variables of Attention in a Large Multi-Center Trial

by Kaiser DA Ph.D. and Othmer S Ph.D.

[Neocortical Dynamics: Implications for Understanding the Role of Neurofeedback and Related Techniques for the Enhancement of Attention \[pdf\]](#)

by Lubar JF Ph.D.

[EEG and Behavioral Changes in a Hyperkinetic Child Concurrent with Training of the Sensorimotor Rhythm \(SMR\): A Preliminary Report \[abs.\]](#)

by Lubar JF and Shouse MN

[Operant Conditioning of EEG Rhythms and Ritalin in the Treatment of Hyperkinesis \[abs.\]](#)

by Shouse MN and Lubar JF

EEG Biofeedback in the Schools: The Use of EEG Biofeedback to Treat ADHD in a School Setting

by Boyd WD and Campbell SE

Event Related Potentials of Subgroups of Children with Attention Deficit Hyperactivity Disorder and the Implications for EEG Biofeedback

by Linden M Ph.D., Gevirtz R Ph.D., Isenhardt R, Fisher T

Improved Neuronal Regulation in ADHD: An Application of Fifteen Sessions of Photic-Driven EEG Neurotherapy

by Patrick GJ R.N. Ph.D.

[EEG Biofeedback for Attention Deficit Hyperactivity Disorder \[pdf\]](#)

by Othmer S Ph.D. and Othmer SF B.A.

[Neurofeedback Combined with Training in Metacognitive Strategies: Effectiveness in Students with ADD \[abs.\]](#)

by Thompson L and Thompson M

[Efficacy of Neurofeedback on Adults with Attentional Deficit and Related Disorders \[pdf\]](#)

by Kaiser DA

Neurotherapy and Drug Therapy in Combination for Adult ADHD, Personality Disorder and Seizure Disorder: A Case Report

by Hansen LM B.S., Trudeau DL M.D., Grace DL Ph.D.

EEG Biofeedback Training and Attention-Deficit/Hyperactivity Disorder In an Elementary School Setting

by Carmody DP Ph.D., Radvanski DC B.S., Wadhvani S B.S., Sabo MJ Ph.D., Vergara L M.S.

Neurofeedback Therapy of Attention Deficits In Patients with Traumatic Brain Injury

by Keller I Ph.D.

[ADHD and Stuttering: Similar EEG Profiles Suggest Neurotherapy as an Adjunct to Traditional Speech Therapies \[abs.\]](#)

by Ratcliff-Baird B Ph.D.

Neurofeedback for AD/HD: A Ratio Feedback Case Study and Tutorial

by Rossiter T Ph.D.

[Electroencephalographic Biofeedback of SMR and Beta for Treatment of Attention Deficit Disorders in a Clinical Setting \[abs.\]](#)

by Lubar JO and Lubar JF

[Neurofeedback as a Treatment for ADHD: A Methodological Review with Implications for Future Research \[abs.\]](#)

by Vernon D Ph.D., Frick A MSc, Gruzelier J Ph.D.

Damaging Effects of Drugs and/or Alcohol Intrauterine Exposure on Brain Activity and Behavior May be Reversed by EEG Biofeedback

by Ibric VL, Robson GR, Othmer SF

[Clinical Use of SMR–Beta Training on Post Traumatic Stress Disorder and Adult Attention Deficit Disorder: A Case Study \[pdf\]](#)

by Putman JA

[The Effect of Interhemispheric EEG training using Sequential Protocols on ADD \[abs.\]](#)

by Putman JA

[TOVA Results Following Inter–Hemispheric Bipolar EEG Training \[abs.\]](#)

by J.A.Putman; S.F.Othmer; S.Othmer; V.E.Pollock